Contents:

Volume 113, Number 1, April 1991

1 **The *NSR1* gene encodes a protein that specifically binds nuclear localization sequences and has two RNA recognition motifs.**
W.-C. Lee, Z. Xue, and T. Melese

13 **The CaaX motif is required for isoprenylation, carboxyl methylation, and nuclear membrane association of lamin B_2.**
G. T. Kitten and E. A. Nigg

25 **Requirements for the membrane insertion of signal-anchor type proteins.**
S. High, N. Flint, and B. Dobberstein

35 **The identification of proteins in the proximity of signal-anchor sequences during their targeting to and insertion into the membrane of the ER.**
S. High, D. Görlich, M. Wiedmann, T. A. Rapoport, and B. Dobberstein

45 **The isolated ER–Golgi intermediate compartment exhibits properties that are different from ER and *cis*-Golgi.**
A. Schweizer, K. Matter, C. M. Ketcham, and H.-P. Hauri

55 **The *BOS1* gene encodes an essential 27-kD putative membrane protein that is required for vesicular transport from the ER to the Golgi complex in yeast.**
J. Shim, A. P. Newman, and S. Ferro-Novick

65 **Cleavage of precursors by the mitochondrial processing peptidase requires a compatible mature protein or an intermediate octapeptide.**
G. Isaya, F. Kalousek, W. A. Fenton, and L. E. Rosenberg

77 **An internally positioned signal can direct attachment of a glycophospholipid membrane anchor.**
I. W. Caras

87 **The entry of *Theileria parva* sporozoites into bovine lymphocytes: evidence for MHC class I involvement.**
M. K. Shaw, L. G. Tilney, and A. J. Musoke

103 **Cortical alveoli of *Paramecium*: a vast submembranous calcium storage compartment.**
N. Stelly, J.-P. Mauger, M. Claret, and A. Adoutte

113 **Purification of marginal plates from bovine renal peroxisomes: identification with L-α-hydroxyacid oxidase B.**
K. Zaar, A. Völkl, and H. D. Fahimi

123 **Immuno-localization of the insulin regulatable glucose transporter in brown adipose tissue of the rat.**
J. W. Slot, H. J. Geuze, S. Gigengack, G. E. Lienhard, and D. E. James

137 **Cytoplasmic lipid bodies of neutrophils: formation induced by *cis*-unsaturated fatty acids and mediated by protein kinase C.**
P. F. Weller, S. W. Ryeom, S. T. Picard, S. J. Ackerman, and A. M. Dvorak

147 **Heterogeneity of microvascular pericytes for smooth muscle type alpha-actin.**
V. Nehls and D. Drenckhahn

155 **Viscoelastic properties of vimentin compared with other filamentous biopolymer networks.**
P. A. Janmey, U. Euteneuer, P. Traub, and M. Schliwa

161 **Spoke: a 120-kD protein associated with a novel filamentous structure on or near kinetochore microtubules in the mitotic spindle.**
M. R. Paddy and D. Chelsky

173 **E-cadherin-mediated cell–cell adhesion prevents invasiveness of human carcinoma cells.**
U. H. Frixen, J. Behrens, M. Sachs, G. Eberle, B. Voss, A. Warda, D. Löchner, and W. Birchmeier

187 **Ligand affinity of the 67-kD elastin/laminin binding protein is modulated by the protein's lectin domain: visualization of elastin/laminin–receptor complexes with gold-tagged ligands.**
R. P. Mecham, L. Whitehouse, M. Hay, A. Hinek, and M. P. Sheetz

195 **Assembly and routing of von Willebrand factor variants: the requirements for disulfide-linked dimerization reside within the carboxyl-terminal 151 amino acids.**
J. Voorberg, R. Fontijn, J. Calafat, H. Janssen, J. A. van Mourik, and H. Pannekoek

207 **Human keratinocytes express a new CD44 core protein (CD44E) as a heparan-sulfate intrinsic membrane proteoglycan with additional exons.**
T. A. Brown, T. Bouchard, T. St. John, E. Wayner, and W. G. Carter

223 **E. B. Wilson Medalist, 1990**

Volume 113, Number 2, April 1991

229 **The signal sequence interacts with the methionine-rich domain of the 54-kD protein of signal recognition particle.**
S. High and B. Dobberstein

235 **Transport of exogenous fluorescent phosphatidylserine analogue to the golgi apparatus in cultured fibroblasts.**
T. Kobayashi and Y. Arakawa

245 **A cytoskeleton-related gene, *USO1*, is required for intracellular protein transport in *Saccharomyces cerevisiae*.**
H. Nakajima, A. Hirata, Y. Ogawa, T. Yonehara, K. Yoda, and M. Yamasaki

261 **pH-induced microtubule-dependent redistribution of late endosomes in neuronal and epithelial cells.**
R. G. Parton, C. G. Dotti, R. Bacallao, I. Kurtz, K. Simons, and K. Prydz

275 **Microtubular organization and its involvement in the biogenetic pathways of plasma membrane proteins in Caco-2 intestinal epithelial cells.**
T. Gilbert, A. Le Bivic, A. Quaroni, and E. Rodriguez-Boulan

289 **Adult rat cardiomyocytes cultured in creatine-deficient medium display large mitochondria with paracrystalline inclusions, enriched for creatine kinase.**
M. Eppenberger-Eberhardt, I. Riesinger, M. Messerli, P. Schwarb, M. Müller, H. M. Eppenberger, and T. Wallimann

303 **Neonatal and adult myosin heavy chains form homodimers during avian skeletal muscle development.**
S. Lowey, G. S. Waller, and E. Bandman

311 **Assembly of avian skeletal muscle myosins: evidence that homodimers of the heavy chain subunit are the thermodynamically stable form.**
B. Kerwin and E. Bandman

321 **Radixin, a barbed end-capping actin-modulating protein, is concentrated at the cleavage furrow during cytokinesis.**
N. Sato, S. Yonemura, T. Obinata, S. Tsukita, and S. Tsukita

331 **Microtubule-associated protein–dependent colchicine stability of acetylated cold-labile brain microtubules from the Atlantic cod, *Gadus morhua*.**
M. Billger, E. Strömberg, and M. Wallin

339 **Molecular studies of linkage group XIX of *Chlamydomonas reinhardtii*: evidence against a basal body location.**
D. E. Johnson and S. K. Dutcher

347 **Cell cycle control of microtubule-based membrane transport and tubule formation in vitro.**
V. J. Allan and R. D. Vale

361 **Membrane-anchored form of v-*SIS*/PDGF-B induces mitogenesis without detectable PDGF receptor autophosphorylation.**
B. A. Lee and D. J. Donoghue

371 **Differential regulation of communication by retinoic acid in homologous and heterologous junctions between normal and transformed cells.**
P. P. Mehta and W. R. Loewenstein

381 **Cloning and sequence analysis of desmosomal glycoproteins 2 and 3 (desmocollins): cadherin-like desmosomal adhesion molecules with heterogeneous cytoplasmic domains.**
J. E. Collins, P. Kevin Legan, T. P. Kenny, J. MacGarvie, J. L. Holton, and D. R. Garrod

393 **The ectopic expression of myelin basic protein isoforms in *Shiverer* oligodendrocytes: implications for myelinogenesis.**
B. Allinquant, S. M. Staugaitis, D. D'Urso, and D. R. Colman

405 **Laminin receptors in the retina: sequence analysis of the chick integrin α_6 subunit evidence for transcriptional and posttranslational regulation.**
I. de Curtis, V. Quaranta, R. N. Tamura, and L. F. Reichardt

417 **The NC1 domain of type IV collagen promotes axonal growth in sympathetic neurons through interaction with the $\alpha_1\beta_1$ integrin.**
P. J. Lein, D. Higgins, D. C. Turner, L. A. Flier, and V. P. Terranova

429 **Antibodies to the retina N-acetylgalactosaminylphosphotransferase modulate N-cadherin-mediated adhesion and uncouple the N-cadherin transferase complex from the actin-containing cytoskeleton.**
J. Balsamo, R. Thiboldeaux, N. Swaminathan, and J. Lilien

437 **92-kD type IV collagenase mediates invasion of human cytotrophoblasts.**
C. L. Librach, Z. Werb, M. L. Fitzgerald, K. Chiu, N. M. Corwin, R. A. Esteves, D. Grobelny, R. Galardy, C. H. Damsky, and S. J. Fisher

451 **Adhesive properties of the β_3 integrins: comparison of GP IIb-IIIa and the vitronectin receptor individually expressed in human melanoma cells.**
N. Kieffer, L. A. Fitzgerald, D. A. Cheresh, and D. R. Phillips

465 **Small nuclear ribonucleoproteins and heterogeneous nuclear ribonucleoproteins in the amphibian germinal vesicle: loops, spheres, and snurposomes.**
Z. Wu, C. Murphy, H. G. Callan, and J. G. Gall

485 **Expression of chicken lamin B_2 in *Escherichia coli*: characterization of its structure, assembly, and molecular interactions.**
E. Heitlinger, M. Peter, M. Häner, A. Lustig, U. Aebi, and E. A. Nigg

497 **Inhibition of proliferation of primary avian fibroblasts through expression of histone H5 depends on the degree of phosphorylation of the protein.**
D. Aubert, M. Garcia, M. Benchaibi, D. Poncet, Y. Chebloune, G. Verdier, V. Nigon, J. Samarut, and C. V. Mura

507 **Activation of $p34^{cdc2}$ kinase by cyclin A.**
L. M. Roy, K. I. Swenson, D. H. Walker, B. G. Gabrielli, R. S. Li, H. Piwnica-Worms, and J. L. Maller

515 **Biosynthesis of mannosylinositolphosphoceramide in *Saccharomyces cerevisiae* is dependent on genes controlling the flow of secretory vesicles from the endoplasmic reticulum to the Golgi.**
A. Puoti, C. Desponds, and A. Conzelmann

527 **Immunolocalization of Kex2 protease identifies a putative late Golgi compartment in the yeast *Saccharomyces cerevisiae*.**
K. Redding, C. Holcomb, and R. S. Fuller

539 **The *Saccharomyces cerevisiae MYO2* gene encodes an essential myosin for vectorial transport of vesicles.**
G. C. Johnston, J. A. Prendergast, and R. A. Singer

553 **Endocytosis and intracellular transport of the glycolipid-binding ligand Shiga toxin in polarized MDCK cells.**
K. Sandvig, K. Prydz, M. Ryd, and B. van Deurs

563 **Effects of phosphorylation by myosin light chain kinase on the structure of *Limulus* thick filaments.**
R. J. C. Levine, P. D. Chantler, R. W. Kensler, and J. L. Woodhead

573 **The effect of calcium activation of skinned fiber bundles on the structure of *Limulus* thick filaments.**
R. J. C. Levine, J. L. Woodhead, and H. A. King

585 **Identification of sequences necessary for the association of cardiac myosin subunits.**
E. M. McNally, M. M. Bravo-Zehnder, and L. A. Leinwand

591 **Variable pathways for developmental changes of mitosis and cytokinesis in *Physarum polycephalum*.**
L. Solnica-Krezel, T. G. Burland, and W. F. Dove

605 **The col^R4 and col^R15 β-tubulin mutations in *Chlamydomonas reinhardtii* confer altered sensitivities to microtubule inhibitors and herbicides by enhancing microtubule stability.**
M. J. Schibler and B. Huang

615 **A *Chlamydomonas* outer arm dynein mutant missing the α heavy chain.**
H. Sakakibara, D. R. Mitchell, and R. Kamiya

623 **Efficiency of acetylcholine receptor subunit assembly and its regulation by cAMP.**
A. F. Ross, W. N. Green, D. S. Hartman, and T. Claudio

637 **Laminin fragment E8 mediates PC12 cell neurite outgrowth by binding to cell surface β1,4 galactosyltransferase.**
P. C. Begovac, D. E. Hall, and B. D. Shur

645 **Regulation of desmosome assembly in MDCK epithelial cells: coordination of membrane core and cytoplasmic plaque domain assembly at the plasma membrane.**
M. Pasdar, K. A. Krzeminski, and W. J. Nelson

657 **Complex cellular and subcellular regulation of Notch expression during embryonic and imaginal development of *Drosophila*: implications for Notch function.**
R. G. Fehon, K. Johansen, I. Rebay, and S. Artavanis-Tsakonas

671 **Death of serum-free mouse embryo cells caused by epidermal growth factor deprivation.**
C. L. Rawson, D. T. Loo, J. R. Duimstra, O. R. Hedstrom, E. E. Schmidt, and D. W. Barnes

681 **Recombinant human bone morphogenetic protein-2 stimulates osteoblastic maturation and inhibits myogenic differentiation in vitro.**
A. Yamaguchi, T. Katagiri, T. Ikeda, J. M. Wozney, V. Rosen, E. A. Wang, A. J. Kahn, T. Suda, and S. Yoshiki

689 **Ontogenesis of glomerular basement membrane: structural and functional properties.**
M. Desjardins and M. Bendayan

701 **Placement Service Notices**

705 **Diversity in the signals required for nuclear accumulation of U snRNPs and variety in the pathways of nuclear transport.**
U. Fischer, E. Darzynkiewicz, S. M. Tahara, N. A. Dathan, R. Lührmann, and I. W. Mattaj

715 **Evolutionary conservation of the human nucleolar protein fibrillarin and its functional expression in yeast.**
R. P. Jansen, E. C. Hurt, H. Kern, H. Lehtonen, M. Carmo-Fonseca, B. Lapeyre, and D. Tollervey

731 **The preendosomal compartment comprises distinct coated and noncoated endocytic vesicle populations.**
S. H. Hansen, K. Sandvig, and B. van Deurs

743 **A novel intracellular compartment with unusual secretory properties in human neutrophils.**
T. Kobayashi and J. M. Robinson

757 **Ca^{2+}-independent F-actin assembly and disassembly during Fc receptor–mediated phagocytosis in mouse macrophages.**
S. Greenberg, J. El Khoury, F. Di Virgilio, E. M. Kaplan, and S. C. Silverstein

769 **Phosphoprotein inhibition of calcium-stimulated exocytosis in sea urchin eggs.**
T. Whalley, I. Crossley, and M. Whitaker

779 **Intracellular Ca^{2+} stores in chicken purkinje neurons: differential distribution of the low affinity-high capacity Ca^{2+} binding protein, calsequestrin, of Ca^{2+} ATPase and of the ER lumenal protein, Bip.**
A. Villa, P. Podini, D. O. Clegg, T. Pozzan, and J. Meldolesi

793 **Foot protein isoforms are expressed at different times during embryonic chick skeletal muscle development.**
J. L. Sutko, J. A. Airey, K. Murakami, M. Takeda, C. Beck, T. Deerinck, and M. H. Ellisman

805 **Chromosome motion during attachment to the vertebrate spindle: initial saltatory-like behavior of chromosomes and quantitative analysis of force production by nascent kinetochore fibers.**
S. P. Alexander and C. L. Rieder

817 **Subcellular localization and sequence of sea urchin kinesin heavy chain: evidence for its association with membranes in the mitotic apparatus and interphase cytoplasm.**
B. D. Wright, J. H. Henson, K. P. Wedaman, P. J. Willy, J. N. Morand and J. M Scholey

835 **Identification of *oda6* as a *Chlamydomonas* dynein mutant by rescue with the wild-type gene.**
D. R. Mitchell and Y. Kang

843 **Keratin incorporation into intermediate filament networks is a rapid process.**
R. K. Miller, K. Vikstrom, and R. D. Goldman

857 **The inhibition of EGF-dependent proliferation of keratinocytes by tyrphostin tyrosine kinase blockers.**
A. Dvir, Y. Milner, O. Chomsky, C. Gilon, A. Gazit, and A. Levitzki

867 **Specific proto-oncogenic tyrosine kinases of src family are enriched in cell-to-cell adherens junctions where the level of tyrosine phosphorylation is elevated.**
S. Tsukita, K. Oishi, T. Akiyama, Y. Yamanashi, T. Yamamoto, and S. Tsukita

881 **Endocytosis of junctional cadherins in bovine kidney epithelial (MDBK) cells cultured in low Ca^{2+} ion medium.**
J. Kartenbeck, M. Schmelz, W. W. Franke, and B. Geiger

893 **Molecular cloning and characterization of B-cadherin, a novel chick cadherin.**
E. W. Napolitano, K. Venstrom, E. F. Wheeler, and L. F. Reichardt

907 **Integrin $\alpha 6/\beta 4$ complex is located in hemidesmosomes, suggesting a major role in epidermal cell–basement membrane adhesion.**
A. Sonnenberg, J. Calafat, H. Janssen, H. Daams, L. M. H. van der Raaij-Helmer, R. Falcioni, S. J. Kennel, J. D. Aplin, J. Baker, M. Loizidou and D. Garrod

919 **Integrins $\alpha v\beta 3$ and $\alpha v\beta 5$ contribute to cell attachment to vitronectin but differentially distribute on the cell surface.**
E. A. Wayner, R. A. Orlando, and D. A. Cheresh

931 **Multiple cell surface receptors for the short arms of laminin: $\alpha 1\beta 1$ integrin and RGD-dependent proteins mediate cell attachment only to domains III in murine tumor laminin.**
S. L. Goodman, M. Aumailley, and H. von der Mark

943 **Mastoparan, a novel mitogen for Swiss 3T3 cells, stimulates pertussis toxin-sensitive arachidonic acid release without inositol phosphate accumulation.**
J. Gil, T. Higgins, and E. Rozengurt

951 **Activation of the simian virus 40 (SV40) genome abrogates sensitivity to AVP in a rabbit collecting tubule cell line by repressing membrane expression of AVP receptors.**
D. Prié, P. M. Ronco, B. Baudouin, M. Geniteau-Legendre, M. Antoine, R. Piedagnel, S. Estrade, B. Lelongt, P. J. Verroust, R. Cassingena, and A. Vandewalle

963 **Identification and partial characterization of two type XII-like collagen molecules.**
G. P. Lunstrum, N. P. Morris, A. M. McDonough, D. R. Keene, and R. E. Burgeson

971 **Two type XII-like collagens localize to the surface of banded collagen fibrils.**
D. R. Keene, G. P. Lunstrum, N. P. Morris, D. W. Stoddard, and R. E. Burgeson

---

Volume 113, Number 5, June 1991

Mini-review

981 **Cytokines in context.**
C. Nathan and M. Sporn

Regular Articles

987 **Intracellular transport and sorting of mutant human proinsulins that fail to form hexamers.**
D. Quinn, L. Orci, M. Ravazzola, and H.-P. H. Moore

997 **Nonlysosomal, pre-Golgi degradation of unassembled asialoglycoprotein receptor subunits: a TLCK- and TPCK-sensitive cleavage within the ER.**
L. Wikström and H. F. Lodish

1009 **PtK_1 cells contain a nondiffusible, dominant factor that makes the Golgi apparatus resistant to brefeldin A.**
N. T. Ktistakis, M. G. Roth, and G. S. Bloom

1025 **Peptides fused to the amino-terminal end of diphtheria toxin are translocated to the cytosol.**
H. Stenmark, J. Ø. Moskaug, I. H. Madshus, K. Sandvig, and S. Olsnes

1033 **A P-glycoprotein homologue of *Plasmodium falciparum* is localized on the digestive vacuole.**
A. F. Cowman, S. Karcz, D. Galatis, and J. G. Culvenor

1043 **Three-dimensional reconstruction of a simple Z-band in fish muscle.**
P. K. Luther

1057 **Cortical filamentous actin disassembly and scinderin redistribution during chromaffin cell stimulation precede exocytosis, a phenomenon not exhibited by gelsolin.**
M. L. Vitale, A. Rodriguez Del Castillo, L. Tchakarov, and J.-M. Trifaró

1069 **Motility of bile canaliculi in the living animal: implications for bile flow.**
N. Watanabe, N. Tsukada, C. R. Smith, and M. J. Phillips

1081 **Mechanism of the interaction of human platelet profilin with actin.**
P. J. Goldschmidt-Clermont, L. M. Machesky, S. K. Doberstein, and T. D. Pollard

1091 **The centromere–kinetochore complex: a repeat subunit model.**
R. P. Zinkowski, J. Meyne, and B. R. Brinkley

1111 **Sorting out IF networks: consequences of domain swapping on IF recognition and assembly.**
M. B. McCormick, P. A. Coulombe, and E. Fuchs

1125 **BIP associates with newly synthesized subunits of the mouse muscle nicotinic receptor.**
P. Blount and J. P. Merlie

1133 **Localization of dystrophin relative to acetylcholine receptor domains in electric tissue and adult and cultured skeletal muscle.**
R. Sealock, M. H. Butler, N. R. Kramarcy, K.-X. Gao, A. A. Murnane, K. Douville, and S. C. Froehner

1145 **Ryanodine and inositol trisphosphate receptors coexist in avian cerebellar Purkinje neurons.**
P. D. Walton, J. A. Airey, J. L. Sutko, C. F. Beck, G. A. Mignery, T. C. Südhof, T. J. Deerinck, and M. H. Ellisman

1159 **J1/tenascin in substrate-bound and soluble form displays contrary effects on neurite outgrowth.**
A. Lochter, L. Vaughan, A. Kaplony, A. Prochiantz, M. Schachner, and A. Faissner

1173 **Retinoic acid stimulates the differentiation of PC12 cells that are deficient in cAMP-dependent protein kinase.**
R. J. Scheibe, D. D. Ginty, and J. A. Wagner

1183 **Epithelial cell differentiation in normal and transgenic mouse intestinal isografts.**
D. C. Rubin, K. A. Roth, E. H. Birkenmeier, and J. I. Gordon

1193 **Expression of the urokinase receptor in vascular endothelial cells is stimulated by basic fibroblast growth factor.**
P. Mignatti, R. Mazzieri, and D. B. Rifkin

1203 **Four molecular pathways of T cell adhesion to endothelial cells: roles of LFA-1, VCAM-1, and ELAM-1 and changes in pathway hierarchy under different activation conditions.**
Y. Shimizu, W. Newman, T. V. Gopal, K. J. Horgan, N. Graber, L. D. Beall, G. A. van Seventer, and S. Shaw

1213 **Identification of a carbohydrate-based endothelial ligand for a lymphocyte homing receptor.**
Y. Imai, M. S. Singer, C. Fennie, L. A. Lasky, and S. D. Rosen

1223 **Tissue-specific splicing pattern of fibronectin messenger RNA precursor during development and aging in rat.**
F. Pagani, L. Zagato, C. Vergani, G. Casari, A. Sidoli, and F. E. Baralle

1231 **Characterization of a novel heparan sulfate proteoglycan found in the extracellular matrix of liver sinusoids and basement membranes.**
C. J. Soroka and M. G. Farquhar

Volume 113, Number 6, June 1991

1243 **A yeast protein that binds nuclear localization signals: purification, localization, and antibody inhibition of binding activity.**
U. Stochaj, M. Osborne, T. Kurihara, and P. Silver

1255 **The muscle regulatory gene, *myf-6*, has a biphasic pattern of expression during early mouse development.**
E. Bober, G. E. Lyons, T. Braun, G. Cossu, M. Buckingham, and H.-H. Arnold

1267 **A novel fluorescent ceramide analogue for studying membrane traffic in animal cells: accumulation at the Golgi apparatus results in altered spectral properties of the sphingolipid precursor.**
R. E. Pagano, O. C. Martin, H. C. Kang, and R. P. Haugland

1281 **Polarized sorting of rhodopsin on post-Golgi membranes in frog retinal photoreceptor cells.**
D. Deretic and D. S. Papermaster

1295 **Quenched flow analysis of exocytosis in *Paramecium* cells: time course, changes in membrane structure, and calcium requirements revealed after rapid mixing and rapid freezing of intact cells.**
G. Knoll, C. Braun, and H. Plattner

1305 **Inhibition of autophagic–lysosomal delivery and autophagic lactolysis by asparagine.**
H. Høyvik, P. B. Gordon, T. O. Berg, P. E. Strømhaug, and P. O. Seglen

1313 **Myristic acid auxotrophy caused by mutation of *S. cerevisiae* myristoyl-CoA/protein *N*-myristoyltransferase.**
R. J. Duronio, D. A. Rudnick, R. L. Johnson, D. R. Johnson, and J. I. Gordon

1331 **Ionic strength of the intermembrane space of intact mitochondria as estimated with fluorescein-BSA delivered by low pH fusion.**
J. D. Cortese, A. L. Voglino, and C. R. Hackenbrock

1341 **Multiple response patterns to receptor activation reveal new aspects of transmembrane signaling.**
F. Grohovaz, D. Zacchetti, E. Clementi, P. Lorenzon, J. Meldolesi, and G. Fumagalli

1351 **Accumulation of talin in nodes at the edge of the lamellipodium and separate incorporation into adhesion plaques at focal contacts in fibroblasts.**
J. A. DePasquale and C. S. Izzard

1361 **The intercentriolar linkage is critical for the ability of heterologous centrosomes to induce parthenogenesis in *Xenopus*.**
F. Tournier, S. Komesli, M. Paintrand, D. Job, and M. Bornens

1371 **Analysis of early events in acetylcholine receptor assembly.**
H. L. Paulson, A. F. Ross, W. N. Green, and T. Claudio

1385 **Integration site-dependent expression of a transgene reveals specialized features of cells associated with neuromuscular junctions.**
J. Weis, S. M. Fine, C. David, S. Savarirayan, and J. R. Sanes

1399 **Structure of a new nervous system glycoprotein, Nr-CAM, and its relationship to subgroups of neural cell adhesion molecules.**
M. Grumet, V. Mauro, M. P. Burgoon, G. M. Edelman, and B. A. Cunningham

1413 **Immunoelectron microscopic localization of type 1 plasminogen activator inhibitor on the surface of activated endothelial cells.**
R. R. Schleef, D. J. Loskutoff, and T. J. Podor

1425 **Identification of a novel high molecular weight protein preferentially expressed by sinusoidal endothelial cells in normal human tissues.**
S. Goerdt, L. J. Walsh, G. F. Murphy, and J. S. Pober

1439 **Lipoprotein (a) inhibits the generation of transforming growth factor β: an endogenous inhibitor of smooth muscle cell migration.**
S. Kojima, P. C. Harpel, and D. B. Rifkin

1447 **Insulin-like growth factors I and II are produced in the metanephros and are required for growth and development in vitro.**
S. A. Rogers, G. Ryan, and M. R. Hammerman

1455 **Modulation of human dermal fibroblast extracellular matrix metabolism by the lymphokine leukoregulin.**
A. Mauviel, F. Rédini, D. J. Hartmann, J.-P. Pujol, and C. H. Evans

1463 **Identification of the fibronectin sequences required for assembly of a fibrillar matrix.**
J. E. Schwarzbauer

1475 **Characterization of a type IV collagen major cell binding site with affinity to the $\alpha 1\beta 1$ integrins.**
P. Vandenberg, A. Kern, A. Ries, L. Luckenbill-Edds, K. Mann, and K. Kühn

1485 **Author Index**

1493 **Subject Index**